

### Product Specification

|  |                 |   |
|--|-----------------|---|
| <b>Title: P66_2015_01_O-MAT</b>            |                 |   |
| <b>No: 202750</b>                          | <b>Issue: 1</b> | <b>Effective Date: January 16, 2015</b> |
| <b>Supersedes: none</b>                    |                 | <b>Used in (Plant/s): Rovamatto Oy</b>  |
| <b>Category: Professional</b>              |                 | <b>Resource: Kotomaki, Jussi</b>        |
| <b>Reason for Change: new</b>              |                 | <b>Expires: Until superseded</b>        |
| <b>Material Master No.: 528830, 528818</b> |                 |   |

Page 1 of 3

**HS – Code**


|   |   |   |   |   |   |
|---|---|---|---|---|---|
| 3 | 9 | 0 | 4 | 2 | 2 |
|---|---|---|---|---|---|

**Production Method**

Plastic injection using solution dyed vinyl granulates

**Product Description**

O-Mat entrance grid mat is assembled from plastic pieces injected. Taylor made size (width x length) mat in building entrance prevents outside dirt getting inside building. O-Mat is produced in two heights: 15mm and 21mm. One square meter of ready assembled mat consists of 26 pieces/tiles

|                       |   |  |
|-----------------------|---|--|
| Trade name            | O-Mat 15mm and O-Mat 21mm   |  |
| Appearance of product |  |  |
|                       | 1. Product picture O-Mat tile 2. Taylormade ready entrance mat.                     |  |
| Color                 | Graphite Grey   |  |

Any modifications to mat erials, equipment or processes need to be reported to FHCS before any changes can be made

**Product Composition/Components**

|   | Name                                  |
|---|---------------------------------------|
| Specification ID of Raw Material Specification: | 103411                                |
| Raw material composition                        | Resin CAS-nr. 9002-86-2 50-55%        |
|   | Plasticizer CAS-nr 53306-54-0 30-35%  |
|   | Co-stab CAS-nr 8013-07-8 1-5          |
|   | NBR CAS-nr 9003-18-3 1-5              |
|   | Filler CAS-nr 1317-65-3 1-5           |
|   | Ca/Zn-stab (mix) CAS-nr N/A < 1       |
|   | Titaniumdioxide CAS-nr 13463-67-7 < 1 |
|   | Pigments (mix) CAS-nr N/A < 1         |

**Product Dimension**

| Items                | QA-Method | Unit | Target | Min  | Max  | Frequency*                 | AQL** |  |
|----------------------|-----------|------|--------|------|------|----------------------------|-------|--|
| <b>A. O-Mat 21mm</b> |           |      |        |      |      |                            |       |  |
| Weight               | Scale     | g    | 385    | 383  | 388  | beginning and end of shift | 1,5   |  |
| Widht                | Ruler     | mm   | 380    | 378  | 382  |                            | 1,5   |  |
| Lenght               | Ruler     | mm   | 100    | 99   | 101  |                            | 1,5   |  |
| Thickness            | Ruler     | mm   | 21     | 20,5 | 21,5 |                            | 1,5   |  |
| <b>B. O-Mat 15mm</b> |           |      |        |      |      |                            |       |  |
| Weight               | Scale     | g    | 270    | 268  | 273  |                            | 1,5   |  |
| Width                | Ruler     | mm   | 380    | 378  | 382  |                            | 1,5   |  |
| Length               | Ruler     | mm   | 100    | 99   | 101  |                            | 1,5   |  |
| Thickness            | Ruler     | mm   | 15     | 14,5 | 15,5 | 1,5                        |       |  |

**Signatures Approvers, Authorized Representatives electronically on file.**

Confidential information, only for internal use, unauthorized copying strictly forbidden.


### Product Specification

|  |                 |   |
|--|-----------------|---|
| <b>Title: P66_2015_01_O-MAT</b>            |                 |   |
| <b>No: 202750</b>                          | <b>Issue: 1</b> | <b>Effective Date: January 16, 2015</b> |
| <b>Supersedes: none</b>                    |                 | <b>Used in (Plant/s): Rovamatto Oy</b>  |
| <b>Category: Professional</b>              |                 | <b>Resource: Kotomaki, Jussi</b>        |
| <b>Reason for Change: new</b>              |                 | <b>Expires: Until superseded</b>        |
| <b>Material Master No.: 528830, 528818</b> |                 |   |

\* Frequency applies to the online checks during production

\*\* AQL is used for sorting out defective products according to ISO 2859-1 or FHCS Spec ID 400028 inspection level III

#### Product sketch



**Dimension:** Ruler - Width of tile

**Dimension:** Ruler – Length of tile

#### Delivery unit size

- Card board box with 52 tiles packed straight into box.
- O-Mat 21mm 16 boxes on a pallet
- O-Mat 15mm 24 boxes on a pallet

#### Packaging description

- Packed in carton boxes
- Carton box dimensions:  
O-Mat 15mm 600x400x175mm  
O-Mat 21mm 600x400x240mm
- Label on carton box

**Signatures Approvers, Authorized Representatives electronically on file.**

Confidential information, only for internal use, unauthorized copying strictly forbidden.

## Product Specification

|  |                 |   |
|--|-----------------|---|
| <b>Title: P66_2015_01_O-MAT</b>            |                 |   |
| <b>No: 202750</b>                          | <b>Issue: 1</b> | <b>Effective Date: January 16, 2015</b> |
| <b>Supersedes: none</b>                    |                 | <b>Used in (Plant/s): Rovamatto Oy</b>  |
| <b>Category: Professional</b>              |                 | <b>Resource: Kotomaki, Jussi</b>        |
| <b>Reason for Change: new</b>              |                 | <b>Expires: Until superseded</b>        |
| <b>Material Master No.: 528830, 528818</b> |                 |   |

Page 3 of 3

### Traceability

Production date coded / stamped on the carton

### Storage Requirements

Store clean, dry and at ambient temperature

### Attachments

| No. | Name | Issue of the attachment | Date | No. of Pages |
|-----|------|-------------------------|------|--------------|
|     | None |                         |      |              |

### Consumer Risk Potential / Product Safety

The supplier guarantees that the material does not contain heavy metals, formaldehyde, radioactive materials/substances, Azo dyes or any harmful substances/agents/additives that are in conflict with Regulation EU/10/2011.

For Europe this is also covered by ECHA's list for "Substances of Very High Concern"

(see official website: <http://echa.europa.eu/candidate-list-table>)

No materials listed there must be used in the starting materials and / or in the finished product. This SVHC-list is under constant expansion.

**Signatures Approvers, Authorized Representatives electronically on file.**

Confidential information, only for internal use, unauthorized copying strictly forbidden.