

## Perform Deep Stone Cleaner

Date of issue 2017-02-10

Version 4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	Perform Deep Stone Cleaner
1.2 Relevant identified uses of the substance or mixture and uses advised against	Cleaning agent
1.3 Details of the supplier of the safety data sheet	Ajour Trading Sweden AB Ekelidsvägen 7 SE-457 40 Fjällbacka Sweden
Telephone	+46 (0)31 870540
Homepage/E-mail	www.ajourtrading.com/info@ajourtrading.com
Emergency telephone	+46 (0)8-331231 Swedish poison information. In less acute cases during office hour +46(0)10-4566700

### SECTION 2: Hazards identification

#### 2.1 Classification:

Classification CLP (1272/2008/EC)

Skin corrosion - Category 1B; H314

#### 2.2 Label elements:

Pictogram



Signal Word: Danger

#### Containing substances

Disodium metasilicate

#### Hazard statement Code(s)

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

#### 2.3 Other hazards

This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.

## Perform Deep Stone Cleaner

Date of issue 2017-02-10

Version 4

### SECTION 3: Composition/information on ingredients

#### 3.2 Chemical composition: Mixture

Components	CAS-No EC-No Reg-No	Conc. %	Hazard Class and Category Code(s)	Hazard statement Code(s)*
Disodium metasilicate	10213-79-3 229-912-9 01-2119449811-37-xxxx	5-10	Skin Corr. 1B STOT SE 3 Met. Corr. 1	H314 H335 H290
Alcohol ethoxylate 6MEO	68439-46-3 - -	1-10	Acute Tox. 4 Eye Dam. 1	H302 H318

\*The full text of Hazard statement Codes are listed under heading 16.

#### Composition Comments

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels.

The classification is based on information from the chemical supplier and <http://echa.europa.eu> (Databases)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures:

##### General Information

In all cases of doubt, or when symptoms persist, seek medical advice. Keep person warm and calm.

Never give fluids or induce vomiting if patient is unconscious.

##### Inhalation

Fresh air.

##### Skin contact

Immediately, take off all contaminated clothing wash with soap and water and rinse the skin thoroughly. Corrosive burns must be treated by a doctor.

##### Eye contact

Important! Rinse immediately with water for at least 15 minutes. Hold eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Go to hospital or eye specialist. If possible, continue to rinse during transport.

##### Ingestion

Rinse mouth with water and drink several glasses of water or milk. Do not provoke vomiting. Go to hospital/doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed:

**Inhalation:** Might be irritating if inhaled.

**Skin contact:** May cause chemical burns with blisters and sores. At first, the skin feels slippery, then comes pain and burns which may be difficult to heal.

**Eye contact:** Give severe pain and irritation. May severely injure the eyes.

**Ingestion:** Corrosive in the mouth, throat and gastrointestinal tract. Ingestion can cause nausea, pain, vomiting. Vomiting may aggravate the injury.

#### 4.3 Indication of any immediate medical attention and special treatment needed

-

## Perform Deep Stone Cleaner

Date of issue 2017-02-10

Version 4

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Water spray, fog or mist, foam, powder or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Do not breathe fumes. During fire, gases hazardous to health may be formed.

#### 5.3 Special protective equipment

Use an appropriate breathing apparatus and protective suits.

#### Additional information

Cool endangered containers with water in case of fire.

Move containers from fire area if it can be done without risk.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Avoid contact with skin and eyes.

Ensure adequate ventilation.

#### 6.2 Environmental precautions

Do not flush larger amounts into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Small quantities may be wiped up with a cloth. Use protective gloves.

Larger spill: Contain spill with inert material. Absorb in e.g. vermiculite, dry sand or earth.

Rinse with plenty of water.

#### 6.4 Reference to other sections

For handling and storage, see section 7.

For personal protection, see section 8.

For disposal of spillage, see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Use personal protective equipment.

Avoid contact with skin and eyes.

Read instructions before use.

Normal precautions taken when handling chemicals should be observed.

Do not mix with strong bases and strong oxidizing agents.

Do not mix with any other chemicals.

Provide eyewash station.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store upright in tightly closed container.

Keep out of reach of children.

#### 7.3 Specific end use(s)

-

## Perform Deep Stone Cleaner

Date of issue 2017-02-10

Version 4

<b>SECTION 8: Exposure controls/personal protection</b>
---

### 8.1 Control parameters

#### Appropriate engineering controls

Provide adequate ventilation.  
Provide eyewash station.

#### Exposure limits

**Swedish limit values or limit values according to the European commission:**

None established.

#### DNEL

Disodium metasilicate (10213-79-3)	Long term exposure - Consumers Systematic effects, oral: 0.74 mg/kg/day Long term exposure - Workers Systematic effects, inhalation: 6.22 mg/m <sup>3</sup> Long term exposure - Consumers Systematic effects, inhalation: 1.55 mg/m <sup>3</sup> Long term exposure - Workers Systematic effects, dermal: 1.49 mg/kg/day Long term exposure - Consumers Systematic effects, dermal: 0.74 mg/kg/day
------------------------------------	--

#### PNEC

Disodium metasilicate (10213-79-3)	7.5 mg/l	Freshwater
Disodium metasilicate (10213-79-3)	1 mg/l	Seawater
Disodium metasilicate (10213-79-3)	7.5 mg/l	Water (Periodic)
Disodium metasilicate (10213-79-3)	1000 mg/l	Sewage Treatment Plant

### 8.2 Exposure controls:

#### General protective and hygiene measures

Wash hands before breaks and after work.  
Handle in accordance with good industrial hygiene and safety practice.

#### Individual protection measures, such as personal protective equipment:

Always consult a competent person/supplier when selecting personal protective equipment.

#### Respiratory protection

Normally not needed. In case of creation of vapours, wear suitable respiratory equipment approved for this purpose.

#### Hand protection

Use chemical-resistant gloves. (E.g. Nitrile rubber)

#### Eye protection

Wear tightly fitting protective goggles.

#### Clothing requirements

Wear chemical-resistant protective clothing.

## Perform Deep Stone Cleaner

Date of issue 2017-02-10

Version 4

<b>SECTION 9: Physical and chemical properties</b>
--

**9.1 Information on basic physical and chemical properties:**

Form:	Liquid
Colour:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
pH-value (Conc.):	13.0±0.3
Melting point/freezing point (°C):	Not determined
Initial boiling point and boiling range (°C):	Not determined
Flash point (°C):	Not determined
Evaporation rate (°C):	Not determined
Flammability (solid, gas):	Not determined
Upper flammability or explosive limits:	Not determined
Lower flammability or explosive limits:	Not determined
Vapour pressure:	Not determined
Vapour density:	Not determined
Density:	Not determined
Solubility in water:	Soluble
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not determined
Oxidising properties:	Not determined

**9.2 Other information:** No specific.

<b>SECTION 10: Stability and reactivity</b>
---

**10.1 Reactivity**

Stable under recommended storage and handling conditions.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions.

**10.3 Possibility of hazardous reactions**

No known.

**10.4 Conditions to avoid**

No known.

**10.5 Incompatible materials**

Strong acids and strong oxidizing agents.

**10.6 Hazardous decomposition products**

None under recommended handling conditions.

**Perform Deep Stone Cleaner**

Date of issue 2017-02-10

Version 4

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

See section 4. (Most important symptoms and effects, both acute and delayed)

**Inhalation**

Might be irritating if inhaled.

**Skin contact**

Corrosive

**Eye contact**

Corrosive.

**Ingestion**

Corrosive

**Acute toxicity**

Information about this preparation is not available.

**Toxicology data for the containing components:**

Disodium metasilicate (10213-79-3)	LD <sub>50</sub> Oral rat: 1152-1349 mg/kg LC <sub>50</sub> Inhaled rat: >2.06 g/m <sup>3</sup> LD <sub>50</sub> Dermal rat: >5000 mg/kg
Alcohol ethoxylate 6MEO (-)	LD <sub>50</sub> Oral rat: >200 <2000 mg/kg

**Specific target organ toxicity (STOT) single and repeated exposure**

No known.

**Routes of exposure:**

Eyes and skin, ingestion, inhalation.

**Allergenic potential**

The product is not classified as allergenic by inhalation or skin contact.

**Carcinogenicity, mutagenicity and toxicity for reproduction**

This product is not classified as carcinogen, mutagen or toxic for reproduction.

**Danger to aspiration**

No

**SECTION 12: Ecological information**

This product is not classified as dangerous for the environment.

Do not flush into surface water or sanitary sewer system.

**12.1 Toxicity**

Information about this preparation is not available.

**Toxicology data for the containing components:**

Disodium metasilicate (10213-79-3)	LC <sub>50</sub> Fish 96h: 210 mg/l Sp: Brachydanio rerio EC <sub>50</sub> Daphnia 48h: 1700 mg/l
Alcohol ethoxylate 6MEO (-)	LC <sub>50</sub> Fish 96h: 1-10 mg/l

## Perform Deep Stone Cleaner

Date of issue 2017-02-10

Version 4

### SECTION 12: Ecological information (...)

#### 12.2 Persistence and degradability

Disodium metasilicate (10213-79-3) - Inorganic. Soluble silicates will when diluted rapidly depolymerized to molecular variants that are indistinguishable from natural dissolved silica.

Alcohol ethoxylate 6MEO (-) - Readily biodegradable.

#### 12.3 Bioaccumulative potential

Inorganic. Does not bioaccumulate. - Disodium metasilicate (10213-79-3)

#### 12.4 Mobility in soil

Soluble in water.

#### 12.5 Results of PBT and vPvB assessment

This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.

#### 12.6 Other adverse effects

No known.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods:

##### The product

Dispose of in accordance with local authority requirements. Do not empty into drain.

Hazardous waste.

##### EWC suggestions for waste:

20 01 29\* detergents containing dangerous substances.

##### Disposal of Packaging

Empty and cleaned packaging can be recycled.

### SECTION 14: Transport information

#### 14.1 UN number

3266

#### 14.2 UN proper shipping name (IMDG, IATA/ICAO):

CORROSIVE LIQUID BASIC INORGANIC, N.O.S. (DISODIUM METASILICATE)

#### 14.3 Transport hazard class(es)

8

#### 14.4 Packing group

III

#### 14.5 Environmental hazards

Marine Pollutant: No

#### 14.6 Special precautions for user

-

#### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

-

#### Tunnel restriction code

(E)

LQ

5L

## Perform Deep Stone Cleaner

Date of issue 2017-02-10

Version 4

### SECTION 15: Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Classification according to CLP (1272/2008/EC).

**Chemical safety assessment**

-

### SECTION 16: Other information

**The full text of Risk phrases and Hazard statement Codes**

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Version 4:** 2017-02-10

Safety data sheet according to Regulation (EC) No. 1907/2006 and (EG) 830/2015.

Changes have been made in section 1, 2, 3, 11 and 16.

**Previous versions:**

Version 1: 2013-04-02

Version 2: 2014-03-26

Version 3: 2015-01-05

**Sources**

Safety data sheet provided by the manufacturer. CLP-regulation, www.kemi.se, <http://echa.europa.eu> (databases)

**Explanation of abbreviations**

BCF: Bio Concentration Factor.

CAS-nr Chemical Abstracts Service number

EC<sub>50</sub>: Effect Concentration

IMDG: International Maritime Dangerous Goods Code.

LC<sub>50</sub>: Lethal Concentration

LD<sub>50</sub>: Lethal Dose

NOEC: No Observed Effect Concentration

PBT- substances: Persistent, Bio accumulative and Toxic substances.

vPvB- substances: Very persistent and Very Bio accumulative substances.